## MATERIAL SAFETY DATA SHEET

SECTION 1 - PRO	DUCT IDENTIFIC		ATERIAL SAF	EII I	DAIA SH	EE1				
									NTIFICATION NUMBER 11	
PRODUCT USE : CERAMIC	GLAZE									
MANUFACTURER'S NAME	SUF	SUPPLIER'S NAME SPECTRUM GLAZES INC.								
STREET ADDRESS: 273 BOWES RD, UNIT A1					STREET ADDRESS: 273 BOWES RD, UNIT A1					
CITY: CONCORD PROVINCE: ONTAR			IO	CITY: CONCORD			PROVINCE: ONTARIO			
POSTAL CODE: L4K1H8 EMERGENCY TEL(905)			695-8355	POSTAL CODE: L4K1H8 EMER			IERGEN	CY TEL(905)695-835		
SECTION 2 - HAZARDOU	S INGREDIENTS									
HAZARDOUS INGREDIENTS		% CAS NU		IBER	BER LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROU				LC50 OF INGREDI (SPECIFY SPECI	
SiO2		30-40	14808-6	0-7	ILV 15mg/m3 OSHA/TWA					
K20		1-3	12136-4	5-7						
CaO		8-10	1305-78	-8						
Na2O		1-3	1313-59	-3						
A1203		5-7	1344-28	-1						
B203		3-4	1303-86	-2						
SrO2		3-4	1314-18	-7						
CERAMIC STAIN - PINK		2-3	18282-1	0-5						
CERAMIC STAIN - BLUE		.15	1345-16	-0						
SECTION 3 - PHYSICAL	DATA								T	
PHYSICAL STATE LIQUID		DOUR AND APPEARANCE DOURLESS LIQUID				1			ODOUR THRESHOLD (PPM N.A.	
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR DENSIT	VAPOUR DENSITY EVAPORATI N.A.						FREEZING POINT(C) N.A.		
рн 6.5-7	SPECIFIC GRAV	/ITY	TER/O	PER/OIL DIST.						
SECTION 4 - FIRE A	AND EXPLOSION D	ATA								
FLAMMABILITY YES NO	) X FLAMES U	NDER WHI	CH CONDITIO	NS :	THIS P	RODUCT I	OOES NOT	SUPPO	ORT COMBUSTION	
MEANS OF EXTINCTION N	IO SPECIAL MEAN	S REQUIR	ED							
FLASHPOINT AND METHOD NONE			UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.					FLAMMABLE LIMIT VOLUME) N.A.		
AUTOIGNITION TEMP.(C) N.A.			HAZARDOUS COMBUSTION PRODUCTS NONE							
EXPLOSION DATA N.A.	.A. ACTIVITY TO STATIC DISCHARGE						N.A.			
		SI	ECTION 5 - 1	REACT	IVITY D	ATA				
CHEMICAL STABILITY YES X NO IF NO,	UNDER WHICH C	ONDITION	S							
INCOMPATIBILITY WITH YES_ NO X IF SO										
REACTIVITY AND UNDER	WHAT CONDITION	S: NO RE	ACTIVITY							
HAZARDOUS DECOMPOSITI			S STABLE, N IS MELTED.		LYMERIZ	ATION BU	TOXIC	FUMES	MAY BE RELEASED WHE	

PRODUCT IDENTIFIER SPECTRUM LEAD FREE 1132 PURPLE										
SECTION 6 - TOXICOLOGICAL PROPERTIES										
ROUTE OF ENTRY SKIN CONTACT SKIN ABSORPTION X EYE CONTACT X INHALATION INGESTION 2										
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS.  EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS.										
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG INFLAMATION AND DAMAGE TO KIDNEY AND NERVOUS SYSTEM.										
EXPOSURE LIMITS IRRITANC		Y OF PRODUCT	SENSITIZATION TO I	PRODUCT	CARCINOGENICITY					
TERATOGENCITY	REPRODUC	TIVE TOXICITY	MUTAGENICITY		SYNERGISTIC PRODUCTS					
SECTION 7 - PREVENTIVE MEASURES										
PERSONAL PROTECTIVE EQUIPMENT:										
GLOVES (SPECIFY) WORK GLOVES		RESPIRATOR (SPECIAL APPROVED DUST MASE	,	EYE (SPE SAFETY G						
FOOTWEAR (SPECIFY)		CLOTHING (SPECIFY)	OTHER (S		PECIFY)					
ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.										
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.										
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.										
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.										
STORAGE REQUIREMENTS: STORE IN DRY AREAS.										
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED										
SECTION 8 - FIRST AID MEASURES										
SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.										
SECTION 9 - PREPARATION DATE OF MSDS										
PREPARED BY (GROUP, DEPARTME TECHNICAL DEPT.	ENT, ETC.)	PHONE NUMBER: (905)695-8355		DATE 15 OCTO	BER 2013					
	J									