SECTION 1 - PROT	UCT IDENTIFICA			ETI	DATA SHEET			
SECTION 1 - PRODUCT IDENTIFICATION AND USE PRODUCT IDENTIFIER : SPECTRUM LEAD FREE GLAZE 1169 DARK PURPLE PRODUCT IDENT								FIFICATION NUMBER 1169
PRODUCT USE : CERAMIC	GLAZE							
MANUFACTURER'S NAME	LAZES INC	C. SUPPLIER'S NAME		SPECTRUM GLAZES INC.				
STREET ADDRESS: 273	NIT Al		STREET ADDRESS:		273 BOWES RD, UNIT A1			
CITY: CONCORD PROVINCE: ONTAR			CITY: CONCORD			PROVINCE: ONTARIO		
POSTAL CODE: L4K1H8 EMERGENCY TEL(905)			95-8355	5-8355 POSTAL CODE: L4K1			ENCY	TEL(905)695-8355
HAZARDOUS INCRE		olo	CAS NUM	IBER	1.D50 OF T	NGREDIENTS		LC50 OF INGREDIENT
HAZARDOUS INGREDIENTS		ô	CAS NUMBEL		LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE)		(SPECIFY SPECIES)	
SiO2		50-65	14808-60-7		TLV 15mg/m3 OSHA/TWA			
CaO		7-16	1305-78-8					
Na2O		4-19	1313-59	-3				
A1203		7-12	1344-28	-1				
B203		5-10	1303-86	-2				
MgO		0.5-1	1309-48	-4				
CERAMIC STAIN - PURPLE		2-3	68187-5					
CERAMIC STAIN - BLUE		.255	1345-16	-0				
SECTION 3 - PHYSICAL								
PHYSICAL STATE LIQUID	ODOUR AND APPEARANCE ODOURLESS LIQUID						ODOUR THRESHOLD(PPM) N.A.	
VAPOUR PRESSURE (mm Hg) N.A.	VAPOUR DENSIT (AIR=1)			ON RA	RATE BOILING POINT N.A.		(C) FREEZING POINT(C) N.A.	
рН 6.5-7	SPECIFIC GRAV 1.6-2.0			TER/OIL DIST.				
SECTION 4 - FIRE A	ND EXPLOSION D	АТА						
FLAMMABILITY YES NO	X FLAMES U	NDER WHICH	H CONDITIC	NS :	THIS PRODUCT D	OES NOT SU	PORT	COMBUSTION
MEANS OF EXTINCTION N	O SPECIAL MEAN	S REQUIREI	D					
FLASHPOINT AND METHOD NONE			UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A.				LOWER FLAMMABLE LIMIT (% BY VOLUME) N.A.	
AUTOIGNITION TEMP.(C)	J	HAZARDOUS COMBUSTION PRODUCTS NONE						
EXPLOSION DATA N.A.	SENSITIVITY 3	IMPACT N.A	Α.	AC	TIVITY TO STATI	C DISCHARG	E N.A	
		SEC	TION 5 - I	REACT	IVITY DATA			
CHEMICAL STABILITY YES X NO IF NO,	UNDER WHICH CO	ONDITIONS						
INCOMPATIBILITY WITH YES NO X IF SO								
REACTIVITY AND UNDER	WHAT CONDITION	S: NO REAG	CTIVITY					
HAZARDOUS DECOMPOSITI			STABLE, N IS MELTED.		LYMERIZATION BU	T TOXIC FUI	ies ma	AY BE RELEASED WHEN

PRODUCT IDENTIFIER SPECTRUM LEAD FREE 1169										
SECTION 6 - TOXICOLOGICAL PROPERTIES										
OUTE OF ENTRY SKIN CONTACT SKI		IN ABSORPTION X	EYE CONTACT X I	INHALATION	INGESTION X					
EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS.										
EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG INFLAMATION AND DAMAGE TO KIDNEY AND NERVOUS SYSTEM.										
EXPOSURE LIMITS	IRRITANC	Y OF PRODUCT	SENSITIZATION TO PRODUCT		CARCINOGENICITY					
TERATOGENCITY	REPRODUCTIVE TOXICITY		MUTAGENICITY		SYNERGISTIC PRODUCTS					
SECTION 7 - PREVENTIVE MEASURES										
PERSONAL PROTECTIVE EQUIPMENT:										
GLOVES (SPECIFY) WORK GLOVES		RESPIRATOR (SPECIFY) APPROVED DUST MASK		EYE (SPECIFY) SAFETY GLASSES						
FOOTWEAR (SPECIFY)		CLOTHING (SPECIFY))	OTHER (SPECIFY)						
ENGINEERING CONTROLS (SPECIFY,EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES.										
LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN.										
WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS.										
HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE.										
STORAGE REQUIREMENTS: STORE IN DRY AREAS.										
SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED										
SECTION 8 - FIRST AID MEASURES										
SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION.										
SECTION 9 - PREPARATION DATE OF MSDS										
PREPARED BY (GROUP,DEPARTME TECHNICAL DEPT.	ENT, ETC.)	PHONE NUMBER: (905)695-8355		date 15 october 2013						