

MATERIAL SAFETY DATA SHEET (cosh105)

1. Identification of the preparation/Supplier reference

Trade Name Amaco glazes

L511 L512 L514 L516 L518 CTL32 CTL33 CTL34 CTL43 CTL50 CTL54

R4072P R4079P R4077P R4078P R4080P R4081P R4082P R4083P R4084P R4085P R4087P R4088P R4086P R4089P R4090P R4091P

R4092P R4093P R4095P R4096P

Chemical name Mixture of frits and chemicals

Synonyms None

Supplier Potterycrafts Ltd, Campbell Road, Stoke on Trent ST4 4ET, UK

Emergency numbers +44 (0)1782 745000 - internet lab@potterycrafts.co.uk

2. Composition

Component CAS EINECS % of composition

Lead frit 65997-18-4 2660476 76.19

3. Health Hazard Identification

Inhalation Excessive exposure may cause symptoms of chronic lung disease and

lead poisoning

Ingestion The product is of low solubility in body fluids and it is likely to be of low

toxicity

Eyes May cause physical irritation and inflammation

Skin The material is not a primary irritant, but as with any abrasive powder it

may give rise to minor irritation

4. First Aid Measures

Inhalation Remove patient to fresh air, loosen tight clothing and seek medical

attention

Ingestion Do not induce vomiting, seek medical advice Eyes Wash immediately with copious amounts of water

Skin Wash affected areas with water

5. Fire Fighting Measures

Extinguishing Media Suitable for surrounding fire conditions

Special Exposure

hazard

In the event of a fire the products may emit harmful or toxic fumes

Personal protective Self contained breathing apparatus

equipment



Accidental Release Measures 6.

Leaks & Spills Use suitable vacuum equipment where reasonably practicable,

otherwise damp down and scoop into a receptacle

Personal protective equipment

Respiratory protective equipment

7. Handling & Storage

Handling Do not eat, drink, or smoke in areas where the material is used. Wash

thoroughly after handling the material

Store in dry area Storage

8. Exposure Control/Personal protective Equipment

Engineering controls Adequate ventilation should be provided so that Occupational

Exposure Limits are not exceeded. Local Exhaust Ventilation is

normally recommended.

Personal protective

equipment

Where LEV is not practicable and exposure is likely to be excessive, approved respiratory protection to CEN standards prEN 140, 141,

143 or 149 should be worn. Protective gloves and overalls are

recommended for prolonged contact.

9. Physical & Chemical properties

Appearance & Odour Coloured viscous liquid, odourless

Flash point (°C) Not applicable Flammability Not applicable Non-explosive Explosive properties

Oxidising properties None Specific gravity 3-5

pH value 7 (insoluble in water)

Melting point (°C) Not available

10. Stability & Reactivity

Chemical stability The material is stable

Conditions/materials to avoid None known Hazardous decomposition

products

Hazardous polymerization

products

None known

None



11. Toxicology Information

Acute toxicology LD50 Oral >2000mg/kg

LD50 dermal not known LD50 inhalation not known

Health effects Prolonged or repeated exposure above Occupational Exposure

Standards may cause chronic lung damage and also cause lead to accumulate in the body. In serious cases this may cause anaemia and damage to the kidneys and central nervous system. Lead in the blood of pregnant women may affect the development of the unborn child. Persons exposed to lead compounds should have regular health checks which should include lead in the blood monitoring

12. Ecological information

Ecotoxicity Not known

Persistence The products are chemically stables and will persist in the

environment

13. Disposal

Dispose in accordance with current waste Disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1980). Landfill is the most appropriate method.

14. <u>Transport Information</u>

UN/SI No. Not classified UN Class Not classified Packing group Road UK Not classified ADR Not classified

Sea IMO Not classified Air ICAO Not classified

15. Regulatory information

EC Supply Labelling Toxic

R-Phrases R20/22 harmful by inhalation and if swallowed

R33 danger of cumulative effect

R48 danger of serious damage to health by prolonged exposure

R61 may cause harm to the unborn child

S-Phrases S13 keep away from food, drink and animal feeding stuff

S20/21 when using do not eat, drink or smoke

S22/23 do not breathe dust or spray

UK Occupational Mg/m³ 8 hr TWA % in product

exposures limits*

Lead compounds (as 0.15 27

Pb)

In accordance with HSE Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitutes the user's assessment of workplace risk

^{*} refer to HSE Guidance note EH40



16. Other information

The American Materials Safety data sheets from which that data sheet is derived from is available on request. Please quote references L(1), L(2), CTL(3), CTL(4), LT(3), LT(4), LT(5), LT(6)

References

COSHH ACOP HSC approved Code of Practice for the Control of Substances

Hazardous to Health Regulations 1994

CHIP 96 Chemicals (Hazard Information and Packaging for Supply)

Regulations 1996

CHIP SDS ACOPS HSC Approved Code of Practice for Safety data Sheets in

accordance with regulation 6 of the CHIP regulations

HSE EH40 HSE Guidance note EH40 on Occupational Exposure Limits to be

used in conjunction with the COSH regulations

Footnote

LIABILITY

Such information is the best of Potterycrafts Ltd's knowledge and belief accurate at the date of publication, which is the date generated automatically on the day of printing of this document. However, no representation, warranty of guarantee is made as to its accuracy, reliability of completeness. It is the user's responsibility to satisfy itself as to the suitability and completeness of such information for their own particular use.

THIRD PARTY MATERIALS

Insofar as materials not manufactured or supplied by Potterycrafts Ltd are used in conjunction with, or instead of Potterycrafts Ltd materials, it is the responsibility of the customer itself to obtain from the manufacturer or supplier all technical data and other properties relating to these and other materials and to obtain all necessary information relating to them. No liability can be accepted in respect of the use of Potterycrafts Ltd materials in conjunctions with other materials.

17. National Legislation

UK Legislation

SI1993/1746 Chemicals (Hazard Information and Packaging) Regulations 1993

Environmental Protection (Duty of Care) regulations 1992 SI 2839

Carriage of Dangerous goods by Road and Rail Regulations 1994

Control of pollution Act 1974

Environmental Protection Act 1990

Highly Flammable Liquids and Petroleum Spirit Regulations 1972

EH40 Occupational Exposure Limits

SI1988/1657 The Control of Substances Hazardous to Health Regulations

Note - This is not an exhaustive list and users should satisfy themselves that they comply with all relevant National Regulations



Important notes

Design CHIP-002

The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards.

Further reference can be made to our standard terms and conditions of sale, a copy of which is available on request.

23 May 2005