| SECTION 1 - PRODUCT IDENTIFICATION AND USE | | | | | | | | | | | |
|--|---|----------|---|----|--|---------------------------------|---|---|--|--|--|
| PRODUCT IDENTIFIER : | PRODUCT IDENTIFIER : SPECTRUM LEAD FREE GLA | | ZE 1118 WHITE PF | | | PRODUC | PRODUCT IDENTIFICATION NUMBER 1118 | | | | |
| PRODUCT USE : CERAMIC GLAZE | | | | | | | | | | | |
| MANUFACTURER'S NAME | SPECTRUM G | NC. | SUPPLIER'S NAME SPECTRUM GLAZES INC. | | | | | | | | |
| STREET ADDRESS: 273 | NIT Al | | STREET ADDRESS: 273 BOWES RD, UNIT A | | | | D, UNIT Al | | | | |
| CITY: CONCORD PROVINCE: ONTAR | | | CO CITY: CONCORD | | | RD | PROVINCE: ONTARIO | | | | |
| POSTAL CODE: L4K1H8 | B EMERGENCY T | EL(905) | 695-8355 POSTAL CODE: L4K | | L4K1H8 E | (1H8 EMERGENCY TEL(905)695-8355 | | | | | |
| SECTION 2 - HAZARDOUS INGREDIENTS | | | | | | | | | | | |
| HAZARDOUS INGREDIENTS | | 00 | CAS NUMB | | LD50 OF INGREDIENTS (SPECIFY SPECIES AND ROUTE) | | | LC50 OF INGREDIENT (SPECIFY SPECIES) | | | |
| SiO2 | | 30-40 | 14808-60-7 | | ILV 15mg/m3 TLV/TWA | | | | | | |
| К20 | | 1-3 | 12136-45-7 | | | | | | | | |
| CaO | | 5-6 | 1305-78 | -8 | | | | | | | |
| Na20 | | 1-3 | 1313-59 | -3 | | | | | | | |
| A1203 | | 5-7 | 1344-28 | -1 | | | | | | | |
| B2O3 | | 3-4 | 1303-86 | -2 | | | | | | | |
| ZrO2 | | 6-8 | 1314-23 | -4 | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| SECTION 3 - PHYSICAL | DATA | | | | | | | | | | |
| PHYSICAL STATE LIQUID | ODOUR AND APE ODOURLESS LIC | | | | | ODOUR THRESHOLD(PPM) N.A. | | | | | |
| VAPOUR PRESSURE (mm Hg) N.A. | VAPOUR DENSITY (AIR=1) | | | | | | | FREEZING POINT(C) N.A. | | | |
| рН 6.5-7 | SPECIFIC GRAV 1.6-2.0 | VITY | COEFF. WATER/OIL DIST. N.A. | | | | | | | | |
| SECTION 4 - FIRE AND EXPLOSION DATA | | | | | | | | | | | |
| FLAMMABILITY YES NO X FLAMES UNDER WHICH CONDITIONS : THIS PRODUCT DOES NOT SUPPORT COMBUSTION | | | | | | | | | | | |
| MEANS OF EXTINCTION NO SPECIAL MEANS REQUIRED | | | | | | | | | | | |
| FLASHPOINT AND METHOD NONE | | | UPPER FLAMMABLE LIMIT (% BY VOLUME) N.A. | | | | LOWER FLAMMABLE LIMIT (% BY VOLUME) N.A. | | | | |
| AUTOIGNITION TEMP.(C) N.A. HAZARDOUS COMBUS | | | | | | USTION PRODUCTS NONE | | | | | |
| EXPLOSION DATA N.A. SENSITIVITY IMPACT N.A. ACTIVITY TO STATIC DISCHARGE N.A. | | | | | | | | | | | |
| SECTION 5 - REACTIVITY DATA | | | | | | | | | | | |
| CHEMICAL STABILITY YES X NO IF NO, UNDER WHICH CONDITIONS | | | | | | | | | | | |
| INCOMPATIBILITY WITH OTHER SUBSTANCES YES NO X IF SO WHICH ONESREACTIVITY | | | | | | | | | | | |
| REACTIVITY AND UNDER | WHAT CONDITION | S: NO RE | ACTIVITY | | | | | | | | |
| HAZARDOUS DECOMPOSITION PRODUCT: MATERIAL IS STABLE, NO POLYMERIZATION BUT TOXIC FUMES MAY BE RELEASED WHEN MATERIAL IS MELTED. | | | | | | | | | | | |

| PRODUCT IDENTIFIER SPECTRUM LEAD FREE 1118 WHITE | | | | | | | | | | |
|--|----------|---|-------------------------|----------------------|----------------------|--|--|--|--|--|
| SECTION 6 - TOXICOLOGICAL PROPERTIES | | | | | | | | | | |
| ROUTE OF ENTRY SKIN CONTACT | SK | N ABSORPTION X EYE CONTACT X INHALATIO | | | INGESTION X | | | | | |
| EFFECTS OF ACUTE EXPOSURE TO PRODUCT: SKIN IRRITATION DUE TO ABRASIVENESS. EYE EXPOSURE COULD CAUSE IRRITATION BUT NO TOXIC EFFECTS. | | | | | | | | | | |
| EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: METAL FUMES IN THE VAPOURS FROM FIRING CERAMIC GLAZES MAY CAUSE LUNG INFLAMATION AND DAMAGE TO KIDNEY AND NERVOUS SYSTEM. | | | | | | | | | | |
| EXPOSURE LIMITS | IRRITANC | Y OF PRODUCT | SENSITIZATION TO PRODUC | | CARCINOGENICITY | | | | | |
| TERATOGENCITY | REPRODUC | TIVE TOXICITY | MUTAGENICITY | | SYNERGISTIC PRODUCTS | | | | | |
| SECTION 7 - PREVENTIVE MEASURES | | | | | | | | | | |
| PERSONAL PROTECTIVE EQUIPMENT: | | | | | | | | | | |
| GLOVES (SPECIFY) WORK GLOVES | | RESPIRATOR (SPECI APPROVED DUST MASS | | EYE (SPE SAFETY G | - / | | | | | |
| FOOTWEAR (SPECIFY) | | CLOTHING (SPECIFY) | | OTHER (SPECIFY) | | | | | | |
| ENGINEERING CONTROLS (SPECIFY,EG. VENTILATION, ENCLOSED PROCESS) VENTILATION SHOULD BE USED WHEN SPRAYING GLAZES. | | | | | | | | | | |
| LEAK AND SPILL PROCEDURE: SCOOP INTO SUITABLE RECEPTACLE. DO NOT WASH DOWN DRAIN. | | | | | | | | | | |
| WASTE DISPOSAL: SEND TO APPROVED SITE IN ACCORDANCE WITH REGULATIONS. | | | | | | | | | | |
| HANDLING PROCEDURES AND EQUIPMENT: NO SPECIAL EQUIPEMENT NEEDED. FOLLOW STANDARD PLANT HYGIENE PROCEDURE. | | | | | | | | | | |
| STORAGE REQUIREMENTS: STORE IN DRY AREAS. | | | | | | | | | | |
| SPECIAL SHIPPING INFORMATION: PROTECT AGAINST PHYSICAL DAMAGE. DOT LABEL NON-REGULATED | | | | | | | | | | |
| SECTION 8 - FIRST AID MEASURES | | | | | | | | | | |
| SPECIFIC MEASURES: GLAZE CONTAINS THE OXIDES LISTED IN THE CHEMICAL FORMULA IN FORM OF CERAMIC FRIT. SOME OF THESE OXIDES ARE ON THE INGREDIENT DISCLOSURE LIST, ONCE THESE OXIDES ARE FUSED AND CONVERTED INTO FRIT THEY ARE NO LONGER AVAILABLE IN TOXIC FORM EVEN THOUGH TESTING WOULD DETECT THE PRESENCE OF THESE OXIDES. (FRIT IS ESSENTIALLY AN INSOLUBLE SUBSTANCE). THE OXIDES ARE PRESENT IN THE FORM OF A SINTERED CERAMIC STAIN OF LOW SOLUBILITY. THESE INGREDIENTS ARE PRESENT IN A STABLE AQUEOUS SUSPENSION. | | | | | | | | | | |
| SECTION 9 - PREPARATION DATE OF MSDS | | | | | | | | | | |
| PREPARED BY (GROUP, DEPARTMENT, ETC.) TECHNICAL DEPT. | | PHONE NUMBER: (905)695-8355 | | date 15 octo: | BER 2013 | | | | | |